

|  |                        |                             |   |
|--|------------------------|-----------------------------|---|
| WAAS<br>CH <b>70434</b><br><b>W33A</b> | APP CRS<br><b>334°</b> | Rwy Idg<br>TDZE<br>Apt Elev | <b>4200</b><br><b>1379</b><br><b>1379</b> |
|--|------------------------|-----------------------------|---|

# RNAV (GPS) RWY 33


EL DORADO/CAPT JACK THOMAS MEML (EQA)

RNP APCH-GPS.



**NA** For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -17°C or above 54°C. When local altimeter setting not received, use Colonel James Jabara altimeter setting and increase all DA 51 feet and all MDA 60 feet. Baro-VNAV and VDP NA when using Colonel James Jabara altimeter setting.

MISSED APPROACH: Climb to 3100 direct GOPHR and hold.

|                           |                                       |                               |
|---------------------------|---------------------------------------|-------------------------------|
| AWOS-3P<br><b>120.875</b> | WICHITA APP CON<br><b>134.8 269.1</b> | UNICOM<br><b>122.8 (CTAF)</b> |
|---------------------------|---------------------------------------|-------------------------------|



|           |           |
|-----------|-----------|
| ELEV 1379 | TDZE 1379 |
|-----------|-----------|



| CATEGORY        | A                     | B                     | C | D  |
|-----------------|-----------------------|-----------------------|---|----|
| LPV DA          | 1579-1                | 200 (200-1)           |   | NA |
| LNAV/VNAV DA    | 1629-1                | 250 (300-1)           |   | NA |
| LNAV MDA        | 1760-1                | 381 (400-1)           |   | NA |
| <b>CIRCLING</b> | 1820-1<br>441 (500-1) | 1960-1<br>581 (600-1) |   | NA |

NC-2, 22 FEB 2024 to 21 MAR 2024

NC-2, 22 FEB 2024 to 21 MAR 2024